



Dave Whay

Norman H. Bangerter  
Governor

Suzanne Dandoy, M.D., M.P.H.  
Executive Director

RECEIVED

SEP 17 1987

DIVISION OF OIL  
GAS & MINING

September 11, 1987

Stanley L. Plaiser, P.E.  
Bingham Engineering  
100 Lindbergh Plaza 2  
5160 Wiley Post Way  
Salt Lake City, Utah 84116

RE: Delano pH Control Plan

Dear Mr. Plaiser:

The Bureau of Water Pollution Control has received Bingham Engineering's letter of August 19, 1987 regarding a study of pH control at Delano Development Corporation. In addition to pH control, we requested information regarding the pond and ground water monitoring in our letters of March 21, 1986 and March 4, 1987. To date we have not received a satisfactory reply to those letters.

Therefore, we request that Bingham Engineering or Delano, by September 30, 1987, schedule a meeting at our office to discuss a compliance schedule for pH control, plan submittal and ground water monitoring at Sulfurdale. To arrange this meeting, please contact Steven McNeal of this office at 538-6146.

Sincerely,

Fredrick C. Pehrson, P.E., Chief  
Permits and Compliance Section  
Bureau of Water Pollution Control

cc: Russel Goodwin, Delano  
Wayne Thomas  
Southwestern District Health Department  
Division of Oil, Gas, and Mining

DOE 001/014

SRM:st  
1074